

FIVE FUNCTION ELECTRIC HOSPITAL BED



▲ BT605E


5-function Electric Hospital Bed

Specification: 2120x970x450MM-720MM

Structure and Design: Steel powder coated frame, Detachable ABS head & foot boards, PP hiding bed fence. Mounted on four 6" deluxe castors with central locked system. Bed board is with soft of link.

- Backrest function: adjusted From 0° to 80°
- Footrest function: adjusted From 0° to 45°
- Forward Tilting function: From 0° to 12°
- Backward Tilting function: From 0° to 12°
- High-Low adjusted from 450MM-720MM
- CPR function- quick release the backrest for emergency needed

Option: Mattress, I.V Drip, Overbed table, Bedside locker, Back-Up Power system



▲ BT603E

3-function Electric Hospital Bed

Specification: 2120x970x450MM-720MM

Structure and Design: Steel powder coated frame, Detachable ABS head & foot boards, Aluminum siderail. Mounted on four 5" castors.

- Backrest function: adjusted From 0° to 80°
- Footrest function: adjusted From 0° to 45°
- High-Low adjusted From 450MM-720MM

Option: Mattress, I.V Drip, Overbed table, Bedside locker, Back-Up Power system



▲ BT602E


2-Function Electric Hospital Bed

Specification: 2120x970x450MM

Structure and Design: Steel powder coated frame, Detachable ABS head & foot boards, Aluminum siderail. Mounted on four 5" castors.

- Backrest function: adjusted From 0° to 80°
- Footrest function: adjusted From 0° to 45°

Option: Mattress, I.V Drip, Overbed table, Bedside locker, Back-Up Power system



▲ BT604E

3-function Super Low Hospital Bed

Specification: 2120x970x180MM-600MM

Structure and Design: Steel powder coated frame, Detachable ABS head & foot boards, Aluminum siderail. Mounted on four 5" castors.

- Backrest function: adjusted From 0° to 80°
- Footrest function: adjusted From 0° to 45°
- High-Low adjusted from 450MM-750MM

Option: Mattress, I.V Drip, Overbed table, Bedside locker, Back-Up Power system





BT630

3-Function home care bed

Specification: 2100x1100x420-720MM

Structure and Design: Steel powder coated with wood frame, Detachable wood head & foot boards, Mounted on four 5" castors.

● Backrest function: adjusted From 0° to 80°

● Footrest function: adjusted From 0° to 45°

● High-Low adjusted From 420-720MM

Option: Mattress, I.V Drip, Overbed table, Bedside locker



BT631

2-Function Home Care Bed

Specification: 2100x1100x450-750MM


Structure and Design: Steel powder coated with wood frame, Detachable wood head & foot boards, Mounted on four 6" castors.

● Backrest function: adjusted From 0° to 80°

● Footrest function: adjusted From 0° to 45°

● High-Low adjusted From 420-720MM

Option: Mattress, I.V Drip, Overbed table, Bedside locker



BT632



BT633

3-Function Home Care Bed

Specification: 2100x1100x575-815MM

Structure and Design: Steel powder coated with wood frame, wood head & foot boards, Mounted on four 5" castors.

● Backrest function: adjusted From 0° to 80°

● Footrest function: adjusted From 0° to 45°

● High-Low adjusted From 575-815MM

Option: Mattress, I.V Drip, Overbed table, Bedside locker



3-Function Home Care Bed

Specification: 2100x1100x340-680MM

Structure and Design: Steel powder coated with wood frame, wood head & foot boards, Mounted on four 5" castors.

● Backrest function: adjusted From 0° to 80°

● Footrest function: adjusted From 0° to 45°

● High-Low adjusted From 420-720MM

Option: Mattress, I.V Drip, Overbed table, Bedside locker



2-Function Home Care Bed

Specification: 2100x1100x450MM

Structure and Design: Steel powder coated with wood frame, wood head & foot boards

● Backrest function: adjusted From 0° to 80°

● Footrest function: adjusted From 0° to 45°

Option: Mattress, I.V Drip, Overbed table, Bedside locker



BT634



BT604M

4-Crank Manual Hospital Bed

Specification: 2120x970x450MM-750MM

Structure and Design: Steel powder coated frame, aluminum siderail, Detachable ABS head & foot boards, Mounted on four 6" castors.

● Backrest function: adjusted From 0° to 80°

● Footrest function: adjusted From 0° to 45°

● Forward Tilting function: From 0° to 12°

● Backward Tilting function: From 0° to 12°

● High-Low adjusted from 450MM-720MM

Option: Mattress, I.V Drip, Overbed table, Bedside locker



BT603M

3-Crank Manual Hospital Bed

Specification: 2120x970x450MM-750MM

Structure and Design: Steel powder coated frame, aluminum siderail, Detachable ABS head & foot boards, Mounted on four 5" castors.

● Backrest function: adjusted From 0° to 80°

● Footrest function: adjusted From 0° to 45°

● High-Low adjusted From 450MM-750MM

Option: Mattress, I.V Drip, Overbed table, Bedside locker



BT602M

2-Crank Manual Hospital Bed

Specification: 2120x970x450mm

Structure and Design: Steel powder coated frame, aluminum siderail, Detachable ABS head & foot boards.

● Backrest function: adjusted From 0° to 80°

● Footrest function: adjusted From 0° to 45°

Option: Mattress, I.V Drip, Overbed table, Bedside locker



BT601M

1-Crank Manual Hospital Bed

Specification: 2120x970x450MM

Structure and Design: Steel powder coated frame, aluminum siderail, Detachable ABS head & foot boards.

● Backrest function: adjusted From 0° to 80°

Option: Mattress, I.V Drip, Overbed table, Bedside locker



BT600

Flat Hospital Bed

Specification: 2120x970x450MM

Structure and Design: Steel powder coated with ABS head/foot boards

Option: Mattress, I.V Drip, Overbed table, Bedside locker



BT606E

4-function Electric Rolling Care Bed

Specification: 2120x970x450MM -750MM

Structure and Design: Steel powder coated, Aluminum siderail, Detachable ABS head & foot boards

- Backrest function: adjusted From 0° to 80°
- Footrest function: adjusted From 0° to 45°
- Right and left Lateral tilting From 0° to 30°
- High-Low adjusted From 450MM-750MM

Option: Mattress, I.V Drip, Overbed table, Bedside locker



BT606M

4-Crank Manual Rolling Care Bed

Specification: 2120x970x450MM -750MM

Structure and Design: Steel powder coated frame, Aluminum siderail, Detachable ABS head & foot boards

- Backrest function: adjusted From 0° to 80°
- Footrest function: adjusted From 0° to 45°
- Right and left Lateral tilting From 0° to 30°
- High-Low adjusted From 450MM-750MM

Option: Mattress, I.V Drip, Overbed table, Bedside locker



BT608M


3-Crank Orthopedic Care Bed

Specification: 2120x970x450MM -750MM

Structure and Design: Steel powder coated frame, Aluminum siderail, Detachable ABS head & foot boards

- Backrest function: adjusted From 0° to 80°
- Lift Footrest function: adjusted From 0° to 60°
- Right Footrest function: adjusted From 0° to 45°
- High-Low adjusted From 450MM-750MM

Option: Mattress, I.V Drip, Overbed table, Bedside locker



BT626

Children's Hospital Bed

Specification: 1600x700x1300mm

Structure and Design: Steel powder coated frame,

Option: Mattress, I.V Drip, Overbed table, Bedside locker

BT628

1-function children's Hospital Be

Specification: 1600x700x1300mm

Structure and Design: Steel powder coated frame.

- Backrest function: adjusted From 0° to 80°

Option: Mattress, I.V Drip, Overbed table, Bedside locker



BT610

1-Hand-lifting Hospital Bed

Specification: 2000x900x500MM

Structure and Design: Steel powder coated with Metal Mesh bedboards, 5" Castor

- Backrest function: adjusted From 0° to 80°

Option: Mattress, I.V Drip, Overbed table, Bedside locker





BT611

2-Crank Manual Hospital Bed

Specification: 2000x900x500MM

Structure and Design: Steel powder coated with Detachable head/foot boards, mesh metal bedboard

Option: Mattress, I.V Drip, Overbed table, Bedside locker



BT612

2-Crank Manual Hospital Bed

Specification: 2000x900x500MM

Structure and Design: Stainless Steel frame, mesh metal bedboard, and S.S siderail Detachable wood head & foot boards, Mounted on four 5" castors

● Backrest function: adjusted From 0° to 80°

● Footrest function: adjusted From 0° to 45°

Option: Mattress, I.V Drip, Overbed table, Bedside locker



BT613


1-Crank Electric Hospital Bed

Specification: 2000x900x500MM

Structure and Design: Steel powder coated, Detachable head & foot boards,

● Backrest function: adjusted From 0° to 80°

Option: Mattress, I.V Drip, Overbed table, Bedside locker, castors



BT614

1-Crank Manual Hospital Bed

Specification: 2000x900x500MM

Structure and Design: Steel powder coated frame, Detachable head & foot boards, mesh metal bed boards,

● Backrest function: adjusted From 0° to 80°

Option: Mattress, I.V Drip, Overbed table, Bedside locker, Castors



BT615

2-Crank Manual Hospital Bed

Specification: 2000x900x500MM

Structure and Design: Steel powder coated frame, Detachable head & foot boards, mesh metal bed boards,

● Backrest function: adjusted From 0° to 80°

● Footrest function: adjusted From 0° to 45°

Option: Mattress, I.V Drip, Overbed table, Bedside locker, Castors



BT616

Simple Hospital Bed

Specification: 2000x900x500MM

Structure and Design: Steel powder coated frame, Detachable head & foot boards,

Option: Mattress, I.V Drip, Overbed table, Bedside locker, castors



BT603S

3-Crank Manual S.S Hospital Bed

Specification: 2060x900x460MM-710MM
Structure and Design: Stainless Steel frame, Detachable Stainless Steel head & foot boards and siderail.
● Backrest function: adjusted From 0° to 80°
● Footrest function: adjusted From 0° to 45°
● High-Low adjusted From 460MM-710MM
Option: Mosquito net holder, Mosquito net, Mattress, I.V Drip, Overbed table, Bedside locker.



BT606S

4-Crank Manual Rolling S.S Hospital Bed

Specification: 2060x900x560MM-810MM
Structure and Design: Stainless Steel frame, Detachable Stainless Steel siderail.
● Backrest function: adjusted From 0° to 80°
● Footrest function: adjusted From 0° to 45°
● Right and left Lateral tilting From 0° to 30°
● High-Low adjusted From 560MM-810MM
Option: Mattress, I.V Drip, Overbed table, Bedside locker.




3-Crank Orthopedic S.S Hospital Bed

Specification: 2060x1000x450MM
Structure and Design: Stainless Steel frame, Detachable Stainless Steel siderail.
● Backrest function: adjusted From 0° to 80°
● Lift Footrest function: adjusted From 0° to 60°
● Right Footrest function: adjusted From 0° to 45°
Option: Mattress, I.V Drip, Overbed table, Bedside locker.



BT608S



BT602S

2-function Manual S.S Hospital Bed

Specification: 2060x900x450MM
Structure and Design: Stainless Steel frame, Detachable Stainless Steel siderail, 5" Castor
● Backrest function: adjusted From 0° to 80°
● Footrest function: adjusted From 0° to 45°
Option: Mosquito net holder, Mosquito net, Mattress, I.V Drip, Overbed table, Bedside locker.



BT601S

1-function Manual S.S Hospital Bed

Specification: 2060x900x450MM
Structure and Design: Stainless Steel frame, Detachable Stainless Steel siderail.
● Backrest function: adjusted From 0° to 80°
Option: Mosquito net holder, Mosquito net, Mattress, I.V Drip, Overbed table, Bedside locker.



BT600S

Flat S.S Hospital Bed

Specification: 2060x900x450MM
Structure and Design: Stainless Steel frame
Option: Mosquito net holder, Mosquito net, Mattress, I.V Drip, Overbed table, Bedside locker.

Jointing Stretcher

Specification: 3650*640*640-970MM

Packing Size: A part (2160*710*770MM) N.W.: 95KG 1pc/ctn

B part (1870*640*630MM) N.W.: 70KG 1pc/ctn **Max loading:** 250KG

Structure and Design: Aluminum frame with ABS bed board and PE siderail, central locked castors. Used for the patient transferred from the outside to the inside operation room to avoid any cross infection. Imported gas spring.

● Backrest function: adjusted From 0° to 80°

● High-Low adjusted from 640MM--970MM

Option: Mattress, I.V Pole.



BT201



BT202

2-function Manual S.S Bed Bed

Model No.: B TABS Manual HI-LO Stretcher

Specification: 1950*640*500-900MM

Packing Size: 2160*710*770MM

N.W.: 75KG 1pc/ctn **Max loading:** 250KG

Structure and Design: ABS with PE siderail, central locked castors. Used for the patient service or emergency sickroom for moving patients.

● Backrest function: adjusted From 0° to 80°

● High-Low adjusted from 500MM--900MM

Option: Mattress, I.V Pole.



2-function Manual S.S Bed Bed

Model No.: BT ABS Hydraulic HI-LO Stretcher

Specification: 1930*700*630-930MM

Packing Size: A part (2160*710*770MM)

N.W.: 95KG 1pc/ctn **Max loading:** 250KG

Structure and Design: ABS frame with PE siderail, central locked castors. Used for the patient service or emergency sickroom for moving patients. Imported gas spring.

● Backrest function: adjusted From 0° to 80°

● Forward Tilting function: From 0° to 12°

● Backward Tilting function: From 0° to 12°

● High-Low adjusted from 630MM--930MM

Option: Mattress, I.V Pole.



BT204

BT Loading Stretcher

Specification: 1900*550*900MM

Packing Size: 2000*640*300MM

N.W.: 40 KG 1pc/ctn **Max loading:** 160KG

Structure and Design: Aluminium frame, Swing down siderail, PVC mattress

● Backrest function: adjusted From 0° to 80°

Option: I.V Drip



BT205

BT Loading Stretcher

Specification: 1900*550*500mm

Packing Size: 1950*600*350mm

N.W.: 28 KG 1pc/ctn **Max loading:** 160KG

Structure and Design: Aluminium frame, Swing down siderail, PVC mattress

● Backrest function: adjusted From 0° to 80°

● Footrest function: adjusted From -90° to 0°

Option: I.V Drip



BT206



BT Loading Stretcher

Specification: 1920*530*880mm

Packing Size: 2000*640*300MM

N.W.: 38 KG 1pc/ctn **Max loading:** 160KG

Structure and Design: Aluminium frame, Swing down siderail, PVC mattress

● Backrest function: adjusted From 0° to 80°

Option: I.V Drip





▼ BT207

Stretcher Trolley

Specification: 1900*750*450mm
Packing Size: 1950 X 780 X 450 mm
N.W.: 65 KG 1pc/ctn **Max loading:** 160KG
Structure and Design: Stainless Steel frame, Swing down siderail, four simple castor with locker. PVC mattress
● Backrest function: adjusted From 0° to 80°
● Footrest function: adjusted From 0° to 40°
● High-Low adjusted from 450MM--700MM
Option: I.V Drip, Oxygen cylinder holder.



Stretcher Trolley

Specification: 1900*750*450mm
Packing Size: 1950 X 780 X 450 mm
N.W.: 60 KG 1pc/ctn **Max loading:** 160KG
Structure and Design: Stainless Steel frame, Swing down siderail, four simple castor with locker. PVC mattress
● Backrest function: adjusted From 0° to 80°
● Footrest function: adjusted From 0° to 40°
Option: I.V Drip, I.V Drip, Oxygen cylinder holder.



◀ BT209

Stretcher Trolley

Specification: 1900*750*450mm
Packing Size: 1950 X 780 X 450 mm
N.W.: 60 KG 1pc/ctn **Max loading:** 160KG
Structure and Design: Stainless Steel frame, Swing down siderail, four simple castor with locker. PVC mattress
Option: I.V Drip, I.V Drip, Oxygen cylinder holder.



▼ BT210



Loading Stretcher

Specification: 1900*550*400-900mm
Packing Size: 1950 X 600 X 350 mm
N.W.: 38 KG 1pc/ctn **Max loading:** 160KG
Structure and Design: Aluminium frame, Swing down siderail, PVC mattress
● Backrest function: adjusted From 0° to 80°
● High-Low adjusted from 400MM--900MM
Option: I.V Drip.

▼ BT212



Transfer Stretcher

Specification: 1900*500*700MM
Packing Size: 2000 X 500 X 720 mm
N.W.: 40 KG 1pc/ctn **Max loading:** 150KG
Structure and Design: Stainless Steel frame with simple locked castors, Used for the patient transferred from the outside to the inside operation room to avoid any cross infection.
Option: Mattress, I.V Pole.

▼ BT211



Transfer Stretcher

Specification: 1950*640*450MM
Packing Size: 2160 X 710 X 500 mm
N.W.: 108 KG 1pc/ctn **Max loading:** 250KG
Structure and Design: Steel power coated frame with Aluminium siderail, central locked castors, Used for the patient transferred from the outside to the inside operation room to avoid any cross infection. Imported gas spring.
● Backrest function: adjusted From 0° to 80°
● High-Low adjusted from 435MM--845MM
Option: Mattress, I.V Pole.

▼ BT213



Transfer Stretcher

Specification: 1900*530*500-970MM
Packing Size: 2000 X 550 X 500 mm
N.W.: 95KG 1pc/ctn **Max loading:** 150KG
Structure and Design: Stainless Steel frame, Two locked castors, Used for the patient transferred from the outside to the inside operation room to avoid any cross infection.
● High-Low adjusted from 500--970MM
Option: Mattress, I.V Pole.



BT667

Electric operation table

Table Size	1980x500mm
Hi-Lo adjusted	600-850mm
Table forward tilt	80° / -20°
Table back tilt	20° / 30°
Table side tilt	20° / 30°
Oil pump vertical travel route	250mm
Back rest	≥75° ≥10°
Leg section	down adjustable 0-90°
Capacity	200kg

Specification: 2070x480x650-970mm

Construction: Stainless Steel frame and the table pad is adept with self-congulated material, stand fire, corrosion resistance and easy to clean.

Introduction: It is a kind of advanced luxurious automatic operation table, is used for different operating requirements for various hospital, can be radiographed at every part of the body.



BT665

Electric gynecologic table

Specification: 1800x600x650/900mm(LxWxH)

Construction: Stainless Steel frame with the table Leather Surface

Introduction: Luxury Gynecological Table used for professional Gynecological Surgery Gynae Examining Caesarean and the General Gynae

Table Size	1800x600mm
Hi-Lo adjusted	650-900mm
Back rest	0-75°
Forward -backward tilting	20-30°
Gross weight	200KG
Capacity	180KG
castor	Footstep control central locked



BT668

General operation table

Table Size	2100x480mm
Hi-Lo adjusted	780-1020mm
Table forward tilt	≥25°
Table back tilt	≥20°
Table side tilt	≥18°
Oil pump vertical travel route	240mm
Head rest(up down adjusted and detachable)	270x380mm
Back rest	500x480mm, ≥75° ≥10°
Seat section	450x480
Leg section	500x480mm, down adjustable 0-90°
Foot rest	200x533mm

Specification: 2100x480x780/1020mm(LxWxH)

Construction: Steel Frame and the Leather surface of the sponge mattress.

Introduction: This table is widely used for various hospital, it is suited for general operation in Chest & abdomen Surgery, Eyes, Ears, Nose, Throat, Gynecology, Obstetrics, Urological, Orthopedics...



BT666

Multi-function manual operation table



Specification: 1750*600*650(900)mm(LxWxH)

1240*600*650(900)mm(LxWxH)

Construction: Stainless Steel frame with the leather surface of mattress.

Introduction:

1. Back section up to ≥45°, down to 10° by turning the hand-wheel
2. Seat section up to ≥8°, down to ≥20° by turning the hand-wheel
3. Let two locating pins into positions on seat plate, tight it with spanner when using the auxiliary
4. Stepping on the long bar of the foot-pedal to make tabletop up, stepping on the pedal to the end to enable table top down.
5. When stepping on the short bar of foot pedal, unit wheel to the foot and unit can be moved, step the pedal once more to fix the unit.

Table Size	1750x600mm/1240x600mm
Hi-Lo adjusted	650-900mm
Backrest adjusted	≥45° ≥10°
Footrest table size	490x490mm
Capacity	200kg





BT640

Delivery table

- Stainless Steel frame
- Size: 1900×650×800MM



BT641

Delivery table

- Stainless Steel frame
- Size: 1900×550×800MM



BT642

Delivery table

- Steel frame-power coated
- Size: 1900×550×800MM



BT643

Examination table

- Stainless Steel Leg with power coated board, PVC Mattress
- Size: 1850×650×700MM



BT644

Examination table

- Stainless Steel
- Size: 1900×600×650MM



BT645

Examination table

- Stainless Steel
- Size: 1800×700×650MM



BT646

Overbed Table

- Steel frame with wood top , Height adjustable by Spring
- Size: 900×450×720-1020MM



BT647

Overbed Table

- Steel frame with wood top , Height adjustable by Spring
- Size: 870×530×670-990MM



BT648

Overbed Table

- Steel frame with wood top
- Size: 1000×360×360MM



BT649

Baby Crib

- Plastic and Steel frame
- Forward tilting From 0° to 12°
- the crib made of organic glass
- Size: 870×530×920-1070MM



BT650

Baby Crib

- Plastic and Steel frame
- Size: 800×4800×530MM



BT651

Baby Crib

- Stainless Steel frame
- Size: 800×480×900MM



BT652

Baby Crib

- Plastic and Stainless Steel frame
- Size: 800×480×900MM



BT653

Baby Crib

- Plastic and Stainless Steel frame
- Forward tilting From 0° to 12°
- Size: 820×500×850MM



BT654

Baby Crib

- Stainless Steel frame
- Size: 800×450×850MM



BT655

Overbed Table

- Steel frame with wood top
- Size: 850×400×530-830MM



BT656

Overbed Table

- Steel frame with wood top
- Size: 850×400×530-830MM



BT657

Overbed Table

- Steel frame with wood top
- Size: 850×400×530-830MM



BT680
Infusion chair

- Steel frame-Power coated
- Size: 760×700×1120MM



BT681
Infusion chair

- Steel frame-Power coated
- Size: 920×795×600MM



BT682
Infusion chair

- Stainless Steel Frame
- Size: 920×795×600MM



BT683
Infusion chair

- Steel frame-Power coated
- Size: 800×780×1070MM



BT684
Sleeping chair

- Steel frame-Power coated
- Size: 730×520×730-1900MM



BT685
Sleeping chair

- Stainless Steel frame-Power coated
- Size: 730×520×730-1900MM



BT686
Sleeping chair

- Stainless Steel frame-Power coated
- Size: 730×520×730-1900MM



BT687
Sleeping chair

- Stainless Steel frame-Power coated
- Size: 730×520×730-1900MM



BT688
Doctor's stool

- Steel frame-Chrome
- Size: 450-700MM



BT689
Doctor's stool

- Plastic Frame
- Size: 450-700MM



BT690
Doctor's stool

- Steel frame-Chrome
- Size: 450-700MM



BT691
Doctor's stool

- Plastic Frame
- Size: 450-700MM



BT692
Waiting Chair

- Chrome Steel Frame
- Size: 1740x680x800MM



BT692
Waiting Chair

- Stainless Steel Frame
- Size: 1740x680x800MM



BT694
Infusion Chair (I.V pole Available)

- Size: 1940x680x850MM (Three Seat)
- 1510x680x850MM (Two Seat)
- 800x680x850MM (One Seat)



BT695
Doctor's Stool

- Plastic base
- Size: 450-700MM



BT696
Doctor's Stool

- Plastic base
- Size: 450-700MM



BT697
Doctor's Stool

- Plastic base
- Size: 450-700MM



BT250
Aluminum Stretcher

- Size: 2050x530x130MM



BT252
Aluminum Stretcher

- Four Folding Type
- Size: 2050x530x130MM



BT251
Aluminum Stretcher

- Two Folding Type
- Size: 2050x530x130MM



BT253
Aluminum Stretcher

- Size: 196x74x47MM



BT101



BT102



BT103

BT101
Emergency Trolley

- ABS frame
- Size: 850×520×950MM

BT102
Emergency Trolley

- ABS frame
- Size: 850×520×950MM

BT103
Emergency Trolley

- ABS and Alum ,steel
- Size: 1200×460×850MM



BT104
Emergency Trolley

- ABS and Alum ,steel
- Size: 600×400×860MM



BT105
Emergency Trolley

- ABS and Alum ,steel
- Size: 800×400×860MM



BT106
Therapy Trolley

- ABS and Alum ,steel
- Size: 930×480×900MM



BT107
Therapy Trolley

- ABS and Alum ,steel
- Size: 650×420×800MM



BT108
Therapy Trolley

- ABS and Alum ,steel
- Size: 650×420×800MM



BT109
Therapy Trolley

- ABS and Alum ,steel
- Size: 550×550×800MM



BT110
Infusion chair

- Steel frame-Power coated
- Size: 1100×750×440MM



BT111
Infusion chair

- Steel frame-Power coated
- Size: 1100×665×1100MM



BT112
Anaesthesia Cabinet

- Stainless Steel Frame
- Size: 650×420×870MM



BT113
Waiting chair

- ABS and Alum ,steel
- Size: 1800×450×420MM



BT114
Sleeping chair

- ABS and Alum ,steel
- Size: 880×625×910MM



BT115
Anaesthesia Cabinet

- Stainless Steel Frame
- Size: 450×700MM



BT116
Medical Record Holders

- Stainless Steel Frame -40/50/60Layer
- Size: 1050×670×370MM(40layer)



BT117
History Folder Holder

- Stainless Steel frame-25/30 Layer can be choosing
- Size: 890×360×320MM(25Layer)



BT118
Anaesthesia Cabinet

- Stainless Steel Frame
- Size: 700×450×850MM



BT119
Dressing Trolley

- Stainless Steel frame
- (M) Size: 660 × 440 × 860MM
- (S) Size: 600 × 400 × 860MM



BT120
Dressing Trolley

- Stainless Steel frame
- (M) Size: 660 × 440 × 860MM
- (S) Size: 600 × 400 × 860MM



BT121
Dressing Trolley

- Stainless Steel frame
- Size: 500 × 400 × 860MM



BT122
Dressing Trolley

- Stainless Steel frame
- (L) Size: 700 × 480 × 860MM
- (M) Size: 660 × 440 × 860MM
- (S) Size: 600 × 400 × 860MM



BT123
Dressing Trolley

- Stainless Steel frame
- (L) Size: 800 × 480 × 850MM
- (M) Size: 720 × 430 × 850MM
- (S) Size: 500 × 400 × 850MM



BT124
Dressing Trolley

- Stainless Steel frame
- Size: 800 × 400 × 860MM



BT125
Dressing Trolley

- Stainless Steel Frame
- Size: 700 × 450 × 850



BT126
Dressing Trolley

- Stainless Steel frame
- Size: 1065 × 546 × 970



BT127
Dressing Trolley

- Stainless Steel frame
- Size: 550 × 410 × 860



BT128



BT129

BT128
Nursing Trolley

- Stainless Steel frame
- Size: 450 × 650 × 850MM

BT129
Nursing Trolley

- Stainless Steel frame
- Size: 900 × 500 × 850MM



BT130



BT131

BT130
Nursing Trolley

- Stainless Steel frame
- Size: 550 × 550 × 800MM

BT131
Nursing Trolley

- Stainless Steel frame
- Size: 550 × 550 × 800MM



BT132

BT132
Dressing Trolley

- Stainless Steel frame
- (L) Size: 1550 × 460 × 930MM
- (M) Size: 1400 × 460 × 900MM
- (S) Size: 1200 × 460 × 900MM



▲ BT135
Nursing Cart

- Plastic Frame
- Size: 610x370x830MM
710x460x910MM



▲ BT136
Nursing Cart

- Plastic Frame With one Drawer
- Size: 610x370x830MM



▲ BT137
Dressing Trolley

- Plastic Frame with two Drawer
- Size: 710x460x830MM



▲ BT138
Nursing Cart

- Plastic Frame
- Size: 610x370x830MM
710x460x910MM



▲ BT139
Nursing Cart

- Plastic Frame With one Drawer
- Size: 610x370x930MM



▲ BT140
Dressing Trolley

- Plastic Frame with two Drawer
- Size: 710x460x930MM



▲ BT141
Nursing Cart

- Plastic with steel Frame
- Size: 720x460x900MM
820x510x900MM



▲ BT142
Dressing Trolley

- Plastic with steel Frame
- Size: 720x460x900MM
820x510x900MM



▲ BT143
Nursing Cart

- Plastic with steel Frame
- Size: 720x460x1050MM
820x510x1050MM



▲ BT145
Dressing Trolley

- Plastic with steel Frame
- Size: 720x460x1050MM
820x510x1050MM



BT150
Clothes Cupboard

- Steel frame-Power coated
- Size: 900×400×1850MM



BT151
Clothes Cupboard

- Steel frame-Power coated
- Size: 900×400×1850MM



BT152
Clothes Cupboard

- Steel frame-Power coated
- Size: 900×400×1850MM



BT153
Clothes Cupboard

- Steel frame-Power coated
- Size: 900×400×1850MM



BT154
Appliance Cupboard

- Stainless Steel frame
- Size: 900×400×1750MM



BT155
Appliance Cupboard

- Stainless Steel frame
- Size: 900×400×1750MM



BT156
Working Table

- Stainless Steel frame
- Size: 650*420*800MM




BT157
Working Table

- Stainless Steel frame
- Size: 930*480*900MM



BT158
Storage Frame

- Stainless Steel frame
- Size: 550*550*800MM



BT159
Bedside Locker

- ABS frame
- Size: 480×480×76MM



BT160
Bedside Locker

- ABS frame
- Size: 480×480×880MM



BT161
Bedside Locker

- ABS frame
- Size: 480×480×760MM



BT162
Bedside Locker

- ABS frame
- Size: 480×480×760MM



BT163
Bedside Locker

- Steel frame-power Coated
- Size: 480×480×880MM



BT164
Bedside Locker

- Steel frame-power Coated
- Size: 480×480×880MM



BT165
Bedside Locker

- Stainless Steel
- Size: 450×420×800MM



BT166
Bedside Locker

- ABS frame
- Size: 500×500×700MM



BT167
Bedside Locker

- Steel frame-power Coated
- Size: 480×480×760MM



▲ BT301
Mattress

- Cloth Cover with sponge
- Size: 1850 × 840 × 800MM

▲ BT302
Mattress

- Cloth Cover with sponge
- Size: 1850 × 840 × 800MM

▲ BT303
Mattress

- Cloth Cover with sponge
- Size: 1850 × 840 × 800MM



▲ BT304
Mattress

- Cloth Cover with sponge
- Size: 1850 × 840 × 800MM

▲ BT305
Air Mattress

- Nylon
- Size: 800 × 400 × 860MM

▲ BT306
Air Mattress

- Nylon
- Size: 650 × 420 × 800MM



▲ BT307
Wash Stand


- Stainless Steel frame
- Size: 840 × 374 × 735MM

▲ BT308
Wash Stand

- Stainless Steel frame
- Size: 840 × 374 × 735MM

▲ BT309
Wash Stand

- Stainless Steel frame
- Size: 445 × 374 × 735MM



BT310

BT311

BT312

▲ BT310
I.V Pole

- Stainless Steel with steel base
- Size: 1100-1800MM

▲ BT311
I.V Pole

- Stainless Steel pole with plastic base
- Size: 1100-1800MM

▲ BT312
I.V Pole

- Stainless Steel Pole With Chrome base
- Size: 1100-1800MM



BT313

BT314

BT315

▲ BT313
Mayo Instrument Stand

- Stainless Steel frame
- Size: 490-340-736-1117MM

▲ BT314
Mayo Instrument Stand

- Stainless Steel frame
- Size: 490 × 340 × 810-1270MM

▲ BT315
Mayo Instrument Stand

- Chrome Steel Frame
- Size: 490 × 340 × 810-1270MM



▲ BT316
Wash Stand

- Stainless Steel frame
- Size: 445 × 374 × 735MM

▲ BT317
Mayo Instrument Stand

- Stainless Steel frame
- Size: 600 × 400 × 950-1300MM

▲ BT318
Mayo Instrument Stand

- Stainless Steel frame
- Size: 450 × 350 × 950-1300MM



BT340
Folding Ward Screen

- Stainless Steel frame
- Four-Folding 2400 × 1750 × 600MM
- Three-Folding 1800 × 1750 × 600MM

BT341
Folding Ward Screen

- Stainless Steel frame
- Four-Folding 2400 × 1750 × 600MM
- Three-Folding 1800 × 1750 × 600MM



BT343
Overbed Table -Plastic Top

- Plastic with Plastic Top
- Size: 600 × 400 × 860MM



BT344
T X-Ray Viewer

- Alum frame
- Size: 1200 × 460 × 850MM



BT345
T X-Ray Viewer

- Alum frame
- Size: 650 × 420 × 850MM



BT346
Overbed Table

- Plastic with wooden Top
- Size: 800 × 400 × 860MM




BT347
History Holder

- Stainless Steel frame



BT348
History Holder

- Plastic frame



BT349
History Holder

- Stainless Steel frame



BT350
Male Urine

- Plastic Frame



BT351
Male Urine

- Plastic Frame



BT352
Female Urine

- Plastic Frame



BT353
Male and Female Urine

- Stainless Steel Frame



BT354
Bedpan

- Stainless Steel Frame



BT355
Bed Pan

- Plastic frame



BT356
Patient Step

- Chrome Steel frame
- Size: 500 × 430 × 1000MM



B T357



B T358



B T359



B T360

BT357
Patient Step

- Stainless Steel frame
- Size: 520 × 430 × 500MM

BT358
Patient Step

- Stainless Steel frame
- Size: 520 × 430 × 500MM

BT359
Patient Step

- Chrome Steel frame
- Size: 500 × 430 × 241MM

BT360
Patient Step

- Steel frame -Power Coated
- Size: 520 × 430 × 500MM



BT380
S.S Tank

- Stainless Steel frame
- $\Phi 70\text{MM}$, $\Phi 200\text{MM}$,
 $\Phi 230\text{MM}$, $\Phi 300\text{MM}$



BT381
Guaze Jar

- Stainless Steel frame
- $\Phi 160 \times 154\text{MM}$, $\Phi 140 \times 130\text{MM}$,
 $\Phi 120 \times 120\text{MM}$



BT382
Cup Cream

- Stainless Steel frame
- $\Phi 80\text{MM}$, $\Phi 90\text{MM}$,
 $\Phi 100\text{MM}$, $\Phi 120\text{MM}$



BT383
Therapy Trolley

- Stainless Steel frame
- $\Phi 80 \times 198\text{MM}$, $\Phi 64 \times 158\text{MM}$,
 $\Phi 45 \times 113\text{MM}$



BT384
Sterilized S.S plate (Side With Hole)

- Stainless Steel frame
- $290 \times 190 \times 50\text{MM}$ $230 \times 150 \times 50\text{MM}$
 $200 \times 11 \times 45\text{MM}$ $140 \times 90 \times 45\text{MM}$



BT385
Sterilized S.S plate (No Hole)

- Stainless Steel frame
- $290 \times 190 \times 50\text{MM}$ $230 \times 150 \times 50\text{MM}$
 $200 \times 11 \times 45\text{MM}$ $140 \times 90 \times 45\text{MM}$



BT386
Barrel Filling Material

- Stainless Steel frame
- $\Phi 100 \times 165\text{MM}$ $\Phi 123 \times 195\text{MM}$




BT387
Measuring Cup

- Stainless Steel frame
- $\Phi 85 \times 110\text{MM}$ $\Phi 100 \times 150\text{MM}$,
 $\Phi 123 \times 190\text{MM}$



BT388
Therapy Trolley

- Stainless Steel frame
- Size: $930 \times 480 \times 900\text{MM}$



BT389
Dressing Bowl

- Stainless Steel frame
- $\Phi 160 \times 52\text{MM}$, $\Phi 140 \times 50\text{MM}$,
 $\Phi 120 \times 47\text{MM}$



BT390
Kidney-Type Plate

- Stainless Steel frame
- Tube: $204 \times 130 \times 25\text{MM}$
Medium: $190 \times 115 \times 25\text{MM}$
Trumpet: $175 \times 104 \times 25\text{MM}$



BT391
Square Plate

- Stainless Steel frame
- $450 \times 330 \times 33\text{MM}$
 $400 \times 300 \times 33\text{MM}$
 $310 \times 240 \times 31\text{MM}$
 $230 \times 170 \times 31\text{MM}$



BT392
Kick Bucket

- Stainless Steel frame
- 350MM



BT393
Kick Bucket

- Stainless Steel frame
- 1.2L



BT394
Steel Dirty Bucket

- Steel frame
- 8L ($\Phi 205 \times 280\text{MM}$), 10L ,
 12L , 20L , 25L



BT395
Oxygen Trolley

- Steel frame-Chrome
- Size: $\Phi 110 \times 960-110\text{MM}$



BT396
Oxygen Trolley

- Steel frame-Chrome
- Size: $\Phi 110 \times 960-110\text{MM}$



▲ B01



▲ B02



▲ B03



▲ B04



▲ B05



▲ B06



▲ B07



▲ B08



▲ B10



▲ B11



▲ B12



▲ B13



▲ B14



▲ B15



▲ B16



▲ B17